

Coverage of CEPA Interventions in Priority Country Global Fund Proposals

CEPA COUNTRY	PPTCT/PMTCT ¹	Family-Centered Care ²	Early Infant Diagnosis and Treatment (0-18 months)	Pediatric Treatment (under age 15)
KENYA	<p>Round 2: Provide long-term ARVs for new mothers and 25% of spouses.</p> <p>Train health workers on regimens to be used on PMTCT. MOH personnel trained in ways to motivate eligible women and their partners to utilize PMTCT services.</p> <p>Missing*: Prong 2, 3</p>	<p>Round 7: Provision of nutrition supplements and therapeutic feeding and related equipment.</p>		<p>Round 7: Therapeutic feeding for children on ART.</p>
TANZANIA	<p>Round 4: Train providers in HIV screening and PMTCT, VCT for women and partners, ARV for pregnant women.</p> <p>Round 8: PITC at PPCTC clinics, training, ARV, expansion to all clinics offering Reproductive and Child Health Services.</p> <p>Missing*: Prong 4</p>	<p>Round 8: Integration of PPTCT with Reproductive and Child Health Services, primary care facilities.</p>	<p>Round 8: PITC at PPTCT clinics, expansion to primary care facilities, increase resources for DNA-PCR.</p>	<p>Round 4: Emphasis on OVC care.</p> <p>Round 8: Scale up of ARV for children.</p>

*This only reflects information provided in the Global Fund proposals.

1. Comprehensive PPTCT/PMTCT+ includes Prong 1: Primary HIV Prevention; Prong 2: Family Planning; Prong 3: Prevention of Vertical Transmission; Prong 4: ART for mom and family. All four prongs should be co-located.
2. FCC includes co-located services including PPTCT, nutritional care and counseling, SRH/MCH, pediatric treatment, and other family health services.

Coverage of CEPA Interventions in Priority Country Global Fund Proposals

CEPA COUNTRY	PPTCT/PMTCT ¹	Family-Centered Care ²	Early Infant Diagnosis and Treatment (0-18 months)	Pediatric Treatment (under age 15)
MOZAMBIQUE	<p>Round 2: Antenatal clinic health staff trained for VCT and administration of ARV medicines.</p> <p>Round 6: Training of staff in PMTCT service implementation.</p> <p>Emphasis on vertical transmission and ART for mother and family.</p> <p>Round 8: Staff training on latest and more efficacious regimens for PMTCT prophylaxis.</p> <p>Mother to mother support groups for pregnant women living with HIV.</p> <p>Emphasis on vertical transmission and ART for mother and family.</p> <p>Missing*: Prong 2</p>	<p>Round 6: Provision of anemia, syphilis and HIV tests; iron, folic acid and vitamin A supplementation; intermittent prophylactic treatment against malaria; de-worming; health education; and counseling on breastfeeding, nutrition, HIV and hygiene.</p> <p>Co-location of PMTCT sites with health facilities.</p> <p>Round 8: Procurement of multiple micronutrient supplements for malnourished children and adults who are living with HIV and of therapeutic foods.</p> <p>Training of health workers in nutrition assessments and triage.</p>	<p>Round 6: Training of health care workers on counseling and testing.</p>	<p>Round 6: Scale up ART for children.</p> <p>Training of providers for youth friendly health services.</p> <p>Round 8: Expand Youth Friendly Health Services, voluntary counseling and testing, and ARV access for children.</p>

*This only reflects information provided in the Global Fund proposals.

1. Comprehensive PPTCT/PMTCT+ includes Prong 1: Primary HIV Prevention; Prong 2: Family Planning; Prong 3: Prevention of Vertical Transmission; Prong 4: ART for mom and family. All four prongs should be co-located.
2. FCC includes co-located services including PPTCT, nutritional care and counseling, SRH/MCH, pediatric treatment, and other family health services.

Coverage of CEPA Interventions in Priority Country Global Fund Proposals

CEPA COUNTRY	PPTCT/PMTCT ¹	Family-Centered Care ²	Early Infant Diagnosis and Treatment (0-18 months)	Pediatric Treatment (under age 15)
NIGERIA	<p>Round 1: VCT, family planning, ARV, administration of nevirapine, training.</p> <p>Strengthening of ARV for mothers following childbirth.</p> <p>Round 5: ART with special linkage to PMTCT, increase to all 185 ART centers in Nigeria.</p> <p>Round 8: Expansion of PMTCT services.</p> <p>Missing*: Prong 3</p>	<p>Round 1: Training workers on infant feeding, Centers of Excellence for PPTCT+, counseling male partners.</p> <p>Round 8: Integrated care for maternal, newborn, and child health.</p>	<p>Round 1: Infants screened at 18 months.</p> <p>ARV for HIV-infected infants.</p>	<p>Round 1: Children included in VCT. ARV for children.</p> <p>Round 5: ART, consideration for children, treatment for OVCs.</p> <p>Round 8: Care for OVCs.</p>

*This only reflects information provided in the Global Fund proposals.

1. Comprehensive PPTCT/PMTCT+ includes Prong 1: Primary HIV Prevention; Prong 2: Family Planning; Prong 3: Prevention of Vertical Transmission; Prong 4: ART for mom and family. All four prongs should be co-located.
2. FCC includes co-located services including PPTCT, nutritional care and counseling, SRH/MCH, pediatric treatment, and other family health services.

Coverage of CEPA Interventions in Priority Country Global Fund Proposals

CEPA COUNTRY	PPTCT/PMTCT ¹	Family-Centered Care ²	Early Infant Diagnosis and Treatment (0-18 months)	Pediatric Treatment (under age 15)
UGANDA	<p>Round 1: General PMTCT scale-up with VCT targeted to pregnant HIV-positive women and newborns.</p> <p>Round 3: Focus on integration of treatment for mothers enrolled in PMTCT programs and for their families, including through BCC and IEC materials.</p> <p>Round 7: Procurement of pouches and syringes as well as test kits and ARVs.</p> <p>Training of service providers on technical strategies for PMTCT, counseling for PMTCT and on comprehensive HIV/AIDS care.</p> <p>Missing*: Prong 2, 3</p>	<p>Round 1: Integration of nutrition through health systems strengthening efforts.</p> <p>Round 3: Integration of ART services into health centers providing VCT. Training of caregivers and OVC households and IEC and BCC to promote immunization, nutrition, ART adherence, and psychosocial care for OVC and their caregivers/households through family-centered approach.</p>	<p>Round 1: VCT scale-up targeting newborns.</p>	<p>Round 3: ART for orphans and vulnerable children, including drug procurement.</p> <p>Round 7: Training of counselors in adolescent packages and pediatric counseling.</p>

1. Comprehensive PPTCT/PMTCT+ includes Prong 1: Primary HIV Prevention; Prong 2: Family Planning; Prong 3: Prevention of Vertical Transmission; Prong 4: ART for mom and family. All four prongs should be co-located.
2. FCC includes co-located services including PPTCT, nutritional care and counseling, SRH/MCH, pediatric treatment, and other family health services.

Coverage of CEPA Interventions in Priority Country Global Fund Proposals

*This only reflects information provided in the Global Fund proposals.

CEPA COUNTRY	PPTCT/PMTCT ¹	Family-Centered Care ²	Early Infant Diagnosis and Treatment (0-18 months)	Pediatric Treatment (under age 15)
ZAMBIA	<p>Round 1: Expansion of PMTCT programs.</p> <p>Free voluntary counseling and testing, infant feeding counseling, a program to ensure male involvement, Nevirapine and AZT drug therapy for mothers who test positive and their infants, and supplies of infant formula.</p> <p>Round 4: Training for health staff on HIV infection and pregnancy.</p> <p>Round 8: Providing ART Prophylaxis to pregnant women.</p> <p>Training for PMTCT health care workers and health professionals. Build the capacity of existing PMTCT sites and mobile PMTCT visits.</p> <p>Missing*: Prong 2</p>	<p>Round 4: Training for health staff on nutritional management in HIV/AIDS patients.</p> <p>Round 8: Integrate PMTCT and Infant and young child feeding and counseling in ante natal care, reproductive health and family planning services and conduct training workshops for planners and health workers .</p> <p>Provision of nutritional supplements as incentive to attract vulnerable pregnant women to access PMTCT services.</p>	<p>Round 8: Procure equipment for PMTCT sites to detect HIV in infants.</p> <p>Increase the number of HIV-exposed infants receiving ART and Prophylaxis.</p>	<p>Round 1: Expansion of youth friendly VCT services.</p> <p>Round 4: Training for health staff on Antiretroviral therapy for chronic HIV infection in adolescents and on HIV infection and AIDS in children.</p> <p>Round 8: Develop the capacity of health workers and the community on STI diagnosis and treatment with a focus on youth.</p>

*This only reflects information provided in the Global Fund proposals.

1. Comprehensive PPTCT/PMTCT+ includes Prong 1: Primary HIV Prevention; Prong 2: Family Planning; Prong 3: Prevention of Vertical Transmission; Prong 4: ART for mom and family. All four prongs should be co-located.
2. FCC includes co-located services including PPTCT, nutritional care and counseling, SRH/MCH, pediatric treatment, and other family health services.

Coverage of CEPA Interventions in Priority Country Global Fund Proposals

1. Comprehensive PPTCT/PMTCT+ includes Prong 1: Primary HIV Prevention; Prong 2: Family Planning; Prong 3: Prevention of Vertical Transmission; Prong 4: ART for mom and family. All four prongs should be co-located.
2. FCC includes co-located services including PPTCT, nutritional care and counseling, SRH/MCH, pediatric treatment, and other family health services.